	SAFET	Y DATA SHEET
	according to Commission	n Regulation (EU) 2020/878 as amended Technologies
	HVAC	External Strong
Creat	ion date 18th April 2023	
Revis	ion date	Version 1.0
SECT	ION 1: Identification of the substance/m	ixture and of the company/undertaking
1.1.	Product identifier	HVAC External Strong
	Substance / mixture	mixture
	UFI	F800-F0YW-D00X-TTSC
1.2.	Relevant identified uses of the substan	ce or mixture and uses advised against
	Mixture's intended use	
	Acidic condenser cleaner with whitening pro	operties for lamellas.
	Main intended use	
		g, care and maintenance products (excludes biocidal products)
	Mixture uses advised against	
	The product should not be used in ways oth	
1.3.	Details of the supplier of the safety dat	a sheet
	Supplier	
	Name or trade name	Liquid Technologies Sp. z o.o.
	Address	ul. Gdańska 13, Wrocław, 50-344
		Poland
	Identification number (CRN)	368412743
	VAT Reg No	PL8982237296
	Phone	+48 518 90 92 94
	E-mail	info@ltchem.pl
	Web address	www.ltchem.pl
	Competent person responsible for the s	-
	Name	Liquid Technologies Sp. z o.o.
	E-mail	info@ltchem.pl
1.4.	Emergency telephone number	
	European emergency number: 112	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification of the mixture in accordance with Regulation (EC) No 1272/2008 The mixture is classified as dangerous.

Acute Tox. 3, H301+H331 Acute Tox. 2, H310 Skin Corr. 1A, H314 Eye Dam. 1, H318

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse effects on human health and the environment

Causes severe skin burns and eye damage. Fatal in contact with skin. Toxic if swallowed or if inhaled.

2.2. Label elements



Signal word Danger



according to Commission Regulation (EU) 2020/878 as amended

HVAC External Strong

Creation date Revision date 18th April 2023

Version

1.0

Hazardous substances hydrofluoric acid ... % Phosphoric acid Ethanol, 2-butoxy-Amines, tallow alkyl, ethoxylated 2-FENYLOETAN-1-OL 1-(5,6,7,8-TETRAHYDRO-3,5,5,6,8,8-HEXAMETHYL-2-NAPHTHYL)ETHAN-1-ONE (FIXOLID) SALICYLAN IZOAMYLU trans-1-(2,6,6-trimetylo-2-cylkoheksen-1-ylo)But-2-enol **Hazard statements** H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. Toxic if swallowed or if inhaled. H301+H331 **Precautionary statements** P264 Wash hands and exposed parts of the body thoroughly after handling. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a doctor.

2.3. Other hazards

Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. The mixture contains substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	-- - -- - - - - - -- - -- - --- - - - - - -- - - - - - - - -- - - - --- - -------- - ---- - ---- - ------ -	Note
Index: 009-003-00-1 CAS: 7664-39-3 EC: 231-634-8 Registration number: 01-2119458860-33	hydrofluoric acid %	5-10	Acute Tox. 2, H300+H330 Acute Tox. 1, H310 Skin Corr. 1A, H314 Specific concentration limit: Skin Corr. 1A, H314: $C \ge 7 \%$ Eye Irrit. 2, H319: 0.1 % $\le C <$ 1 % Skin Corr. 1B, H314: 1 % $\le C$ < 7 %	1, 2
Index: 015-011-00-6 CAS: 7664-38-2 EC: 231-633-2 Registration number: 01-2119485924-24	Phosphoric acid	4-6	Met. Corr. 1, H290 Acute Tox. 4, H302 Skin Corr. 1B, H314	1, 2
Index: 603-014-00-0 CAS: 111-76-2 EC: 203-905-0 Registration number: 01-2119475108-36	Ethanol, 2-butoxy-	≤1	Acute Tox. 4, H302+H312+ H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319	2



Technologies

according to Commission Regulation (EU) 2020/878 as amended

HVAC External Strong

Creation date Revision date	18th April 2023 Ve	ersion	1.0	
Identification numbers	Substance name	Content in % weight	j	Note
CAS: 61791-26-2 EC: 500-153-8	Amines, tallow alkyl, ethoxylated	<0,1	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1)	
CAS: 60-12-8 EC: 200-456-2 Registration number: 01-2119963921- 31	2-FENYLOETAN-1-OL	<0,01	Acute Tox. 4, H302 Eye Irrit. 2, H319	
CAS: 1506-02-1 EC: 216-133-4 Registration number: 01-2119539433-40	1-(5,6,7,8-TETRAHYDRO-3,5,5,6,8,8- HEXAMETHYL-2-NAPHTHYL)ETHAN-1- ONE (FIXOLID)	<0,01	Acute Tox. 4, H302 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	
CAS: 87-20-7 EC: 201-730-4	SALICYLAN IZOAMYLU	<0,01	Acute Tox. 4, H302 Aquatic Chronic 2, H411	
CAS: 24720-09-0 EC: 246-430-4	trans-1-(2,6,6-trimetylo-2-cylkoheksen-1 -ylo)But-2-enol	<0,01	Acute Tox. 4, H302 Skin Sens. 1, H317	

Notes

- Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at 1 various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.
- A substance for which exposure limits are set. 2

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. **Description of first aid measures**

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Take care of your own safety, do not let the affected person walk! Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Wash with plenty of soap and water.

If in eves

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person.



according to Commission Regulation (EU) 2020/878 as amended

HVAC External Strong

Creation date Revision date 18th April 2023

Version

1.0

If swallowed

INDUCE VOMITING! Vomiting should be induced in the person only if conscious, within 1 hour from ingestion. If in doubt whether vomiting should be induced, contact the Toxicological Information Centre and give information about the substances or composition of the product as provided on the original packaging or in the safety data sheet of the product. FOLLOWING INGESTION OF TOXIC OR HIGHLY TOXIC SUBSTANCES, GIVE 10 -20 CRUSHED TABLETS OF ACTIVATED CARBON, MIXED IN WATER, WITHIN NO LATER THAN 5 MINUTES - irrespective of whether vomiting could be induced.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Inhaling vapours can cause corrosion of the breathing system.

If on skin

Causes severe skin burns.

If in eyes

Causes serious eye damage.

If swallowed

Corrosion of the digestion system can occur.

4.3. Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow runoff of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.



according to Commission Regulation (EU) 2020/878 as amended

HVAC External Strong

Creation date Revision date 18th April 2023

Version

1.0

date

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up. Keep container tightly closed.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union

Commission Directive 2000/39/EC

Substance name (component)	Туре	Value	Note
	OEL 8 hours	1,5 mg/m ³	
	OEL 8 hours	1,8 ppm	
hydrofluoric acid % (CAS: 7664-39-3)	OEL 15 minutes	2,5 mg/m ³	
	OEL 15 minutes	3 ppm	
	OEL 8 hours	1 mg/m ³	
Phosphoric acid (CAS: 7664-38-2)	OEL 15 minutes	2 mg/m ³	
	OEL 8 hours	98 mg/m ³	
	OEL 8 hours	20 ppm	
Ethanol, 2-butoxy- (CAS: 111-76-2)	OEL 15 minutes	246 mg/m ³	Skin
	OEL 15 minutes	50 ppm	

DNEL

1-(5,6,7,8-TETRAHYDRO-3,5,5,6,8,8-HEXAMETHYL-2-NAPHTHYL)ETHAN-1-ONE (FIXOLID)

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	0.175 mg/m ³	Chronic effects systemic		ECHA
Consumers	Inhalation	0.0435 mg/m ³	Chronic effects systemic		ECHA
Workers	Inhalation	0.525 mg/m ³	Acute effects systemic		ECHA
Consumers	Inhalation	0.131 mg/m ³	Acute effects systemic		ECHA
Workers	Dermal	0.61 mg/kg bw/day	Chronic effects systemic		ECHA
Consumers	Dermal	0.305 mg/kg bw/day	Chronic effects systemic		ECHA



ECHA

according to Commission Regulation (EU) 2020/878 as amended

HVAC External Strong

Creation date Revision date 18th April 2023

Version

1.0

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Consumers	Dermal	0.0125 mg/kg bw/day	Chronic effects systemic		ECHA
Consumers	Food chain	0.0012 mg/kg bw/day	Acute effects systemic		ECHA
Consumers	Food chain	0.0125 mg/kg bw/day	Chronic effects systemic		ECHA
Ethanol, 2-butox	(y-				
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers (0)	Inhalation	98 mg/m ³	Chronic effects systemic		ECHA
Workers (0)	Inhalation	1091 mg/m ³	Acute effects systemic		ECHA
Consumers (0)	Inhalation	59 mg/m ³	Chronic effects systemic		ECHA
Consumers (0)	Inhalation	426 mg/m ³	Acute effects systemic		ECHA
Workers (0)	Inhalation	246 mg/m ³	Acute effects local		ECHA
Consumers (0)	Inhalation	146 mg/m ³	Acute effects local		ECHA
Consumers (0)	Oral	6.3 mg/kg bw/day	Chronic effects systemic		ECHA
Consumers (0)	Oral	26.7 mg/kg bw/day	Acute effects systemic		ECHA
hydrofluoric acid	%			•	•
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	2.5 mg/m ³	Acute effects systemic		ECHA
Workers	Inhalation	1.5 mg/m ³	Chronic effects systemic		ECHA
Workers	Inhalation	0.0025 mg/m ³	Acute effects local		ECHA
Consumers	Inhalation	0.03 mg/m ³	Chronic effects systemic		ECHA
Consumers	Inhalation	0.2 mg/m ³	Chronic effects local	Ì	ECHA
Consumers	Inhalation	1.25 mg/m ³	Acute effects local		ECHA
Consumers	Inhalation	0.03 mg/m ³	Acute effects systemic		ECHA
Consumers	Oral	0.01 mg/kg bw/day	Chronic effects systemic		ECHA
Workers	Inhalation	0.0015 mg/m ³	Chronic effects local		ECHA

Acute effects systemic

0.01

mg/kg bw/day

Oral

Consumers



according to Commission Regulation (EU) 2020/878 as amended

HVAC External Strong

Creation date Revision date 18th April 2023

Version

1.0

Phosphoric acid

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	10.7 mg/kg	Chronic effects systemic		
Workers	Inhalation	1 mg/m ³	Chronic effects local		
Workers	Inhalation	2 mg/m ³	Acute effects local		
Consumers	Inhalation	4.57 mg/m ³	Chronic effects systemic		
Consumers	Inhalation	0.36 mg/m ³	Chronic effects local		
Consumers	Oral	0.1 mg/kg bw/day	Chronic effects systemic		

PNEC

1-(5,6,7,8-TETRAHYDRO-3,5,5,6,8,8-HEXAMETHYL-2-NAPHTHYL)ETHAN-1-ONE (FIXOLID)

Route of exposure	Value	Value determination	Source
Drinking water	2.2 µg/l		ECHA
Water (intermittent release)	6.1 μg/l		ECHA
Marine water	220 ng/l		ECHA
Microorganisms in sewage treatment	2.2 mg/l		ECHA
Freshwater sediment	1.72 mg/kg of food		ECHA
Sea sediments	0.345 mg/kg of food		ECHA
Soil (agricultural)	0.0099 mg/kg of dry substance of soil		ECHA
Food chain	1.1 mg/kg of dry substance of sediment		ECHA

Ethanol, 2-butoxy-

Route of exposure	Value	Value determination	Source
Drinking water	8.8 mg/l		ECHA
Water (intermittent release)	26.4 mg/l		ECHA
Marine water	880 µg/l		ECHA
Microorganisms in sewage treatment	463 mg/l		ECHA
Freshwater sediment	34.6 mg/kg of food		ECHA
Sea sediments	3.46 mg/kg of food		ECHA
Soil (agricultural)	2.33 mg/kg of dry substance of soil		ECHA
Food chain	20 mg/kg of dry substance of sediment		ECHA



according to Commission Regulation (EU) 2020/878 as amended

HVAC External Strong

Creation date

18th April 2023

Version

1.0

Revision date

hydrofluoric acid %			
Route of exposure	Value	Value determination	Source
Marine water	900 µg/l		ECHA
Microorganisms in sewage treatment	50 mg/l		ECHA
Soil (agricultural)	11 mg/kg of dry substance of soil		ECHA
Drinking water	900 µg/l		ECHA

8.2. Exposure controls

Take off contaminated clothing and wash before reuse. Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

Use insulating breathing apparatus when the exposition limits of the substances are exceeded or at the place with insufficient ventilation.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

liquid
red
characteristic
data not available
1 (undiluted at 20 °C)
data not available
soluble
not determined
data not available
1,0 g/cm ³ at 20 °C
data not available
does not apply to mixtures

9.2.



according to Commission Regulation (EU) 2020/878 as amended

HVAC External Strong

Creation date Revision date 18th April 2023

Version

1.0

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials Protect against strong acids, bases and oxidizing agents.
10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

available for the Acute toxicity Fatal in contact	with skin. To		ed or if inhaled.				
Ethanol, 2-buto Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determinatio
Oral	LD50	OECD 401	1300 mg/kg bw		Guinea-pig (Cavia aperea f. porcellus)	F/M	
Inhalation (vapor)	LC50	OECD 403	>400 ppm	7 hours	Guinea-pig (Cavia aperea f. porcellus)	F/M	
Dermal	LD50	OECD 402	>2000 mg/kg bw		Guinea-pig (Cavia aperea f. porcellus)	F/M	
Intraperitoneal ly	LD50		1174 mg/kg bw		Mouse	F/M	
HVAC External	Strong						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determination
Oral	ATE		55.22 mg/kg				Calculation of value
Dermal	ATE		55.53 mg/kg				Calculation o value
Inhalation (vapor)	ATE		>5.528 mg/l				Calculation of value
hydrofluoric aci	id %						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determination
Inhalation	LC50		1276 ppm	1 hour	Rat (Rattus norvegicus)		



according to Commission Regulation (EU) 2020/878 as amended

HVAC External Strong

Creation date

18th April 2023

Version

1.0

Revision date

hydrofluoric acid ... %

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determination
Inhalation	LC50		342 ppm	1 hour	Mouse		

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes severe skin burns and eye damage.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Phosphoric acid

Effect	Parameter	Method	Value	Result	Species	Sex
Chronic effects systemic	NOAEL	OECD 422	500 mg/kg bw/day		Rat (Rattus norvegicus)	
Developmental toxicity	NOAEL	OECD 414	410 mg/kg bw/day			

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Phosphoric acid

Route of exposure	Parameter	Method	Value	Exposure time	Result	Species	Sex
Oral	NOEL	OECD 422	250 mg/kg bw/day	28 days		Rat (Rattus norvegicus)	

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

The mixture contains substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

The product is not classified as hazardous to the aquatic environment. However, due to the low pH, the product may pose a threat to the environment.

Ethanol, 2-butoxy-

Parameter	Method	Value	Exposure time	Species	Environme nt
LC50	OECD 203	1474 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EC₅o	OECD 202	1550 mg/l	48 hours	Daphnia (Daphnia magna)	
EC₅o	OECD 201	1840 mg/l	72 hours	Algae (Selenastrum capricornutum)	



according to Commission Regulation (EU) 2020/878 as amended

HVAC External Strong

Creation date Revision date 18th April 2023

Version

1.0

Parameter	Method	Value	Exposure time	Species	Environme nt
EC₅o		>700 mg/l	16 hours	Microorganisms (Pseudomonas putida)	
hydrofluoric a	cid %				
Parameter	Method	Value	Exposure time	Species	Environme nt
LC50		43 mg/l	96 hours	Algae (Selenastrum capricornutum)	Fresh water
LC50		81 mg/l	96 hours	Algae (Skeletonema costatum)	Salt water
NOEC		50 mg/l	7 days	Algae	Fresh water
NOEC		50 mg/l	21 days	Algae	Salt water
EC₅o		26 mg/l	48 hours	Daphnia (Daphnia magna)	Fresh water
EC₅o		10.5 mg/l	48 hours	Daphnia (Daphnia magna)	Salt water
NOEC		8.9 mg/l	21 days	Daphnia (Daphnia magna)	Fresh water
LC50		51 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
NOEC		4 mg/l	21 days	Fish (Oncorhynchus mykiss)	
NOEC	OECD 209	510 mg/l	3 hours	Bacteria	Activated sludge
Phosphoric ac	id		•		-
Parameter	Method	Value	Exposure time	Species	Environme

Parameter	Method	Value	Exposure time	Species	Environme nt
EC₅o		≥100 mg/l	48 hours	Daphnia (Daphnia magna)	
EC50		≥100 mg/l	72 hours	Invertebrates (Desmodesmus subspicatus)	

12.2. Persistence and degradability

The mixture is biodegradable. **12.3. Bioaccumulative potential**

No data for the mixture.

12.4. Mobility in soil

No data for the mixture.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties The mixture contains substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations



according to Commission Regulation (EU) 2020/878 as amended

HVAC External Strong

Creation date Revision date 18th April 2023

Version

1.0

13.1. Waste treatment methods

Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling. The waste code should be assigned at the place of its production.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.


SECTION 14: Transport information

- 14.1. UN number or ID number UN 1790
- **14.2.** UN proper shipping name HYDROFLUORIC ACID
- **14.3.** Transport hazard class(es) 8 Corrosive substances
- **14.4.** Packing group II - substances presenting medium danger
- 14.5. Environmental hazards not relevant
- **14.6.** Special precautions for user Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments not relevant

Additional information

Hazard identification No. UN number Classification code Safety signs



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as ammended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).



according to Commission Regulation (EU) 2020/878 as amended

HVAC External Strong

Creation date Revision date 18th April 2023

Version

1.0

Additional information in accordance with Regulation (EC) no. 648/2004 on detergents, as amended

<5 % non-ionic surfactants, perfumes

15.2. Chemical safety assessment

A safety assessment for the mixture is not required.

SECTION 16: Other information

A list of standard risk p	hrases used in the safety data sheet
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H300+H330	Fatal if swallowed or if inhaled.
H301+H331	Toxic if swallowed or if inhaled.
H302+H312+H332	Harmful if swallowed, in contact with skin or if inhaled.
Guidelines for safe han	dling used in the safety data sheet
P264	Wash hands and exposed parts of the body thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a doctor.
Other important inform	ation about human health protection
-	e - unless specifically approved by the manufacturer/importer - used for purposes
	Section 1. The user is responsible for adherence to all related health protection
Key to abbreviations ar	nd acronyms used in the safety data sheet
ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC50	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances

Emergency plan

European Union

Dangerous Chemicals

European Product Categorisation System

International Code For The Construction And Equipment of Ships Carrying

International Air Transport Association

International Civil Aviation Organization

International Maritime Dangerous Goods

EmS

EuPCS

IATA

IBC

ICAO

IMDG

ΕU



according to Commission Regulation (EU) 2020/878 as amended

HVAC External Strong

Creation date	18th April 2023
Revision date	Version 1.0
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD50	Lethal dose of a substance in which it can be expected death of 50% of the population
log Kow	Octanol-water partition coefficient
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
NOEL	No observed effect level
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Eye Dam.	Serious eye damage
Met. Corr.	Corrosive to metals
Skin Corr.	Skin corrosion
Skin Sens.	Skin sensitization

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.